Frequency/ severity scale

Red Flags School-aged Guide

Supporting conversations and service engagement for children with neurodevelopmental concerns

Developmental concerns

- Poor school performance
- Difficulties with talking/ listening/playing/co-ordination
- Loss of skills



Behavioural concerns

- Distracted
- Overactive



Emotional concerns

- Socially withdrawn
- Frequent meltdowns
- ▼ Frequently worried/sad



Child/young person's history

- Medical history
- Family and social history
- P Developmental history
- Parental mental health



What else?

- ? Information from school/ other settings
- Options tried
- P Family functioning
- External factors (e.g. illicit substance, cyber bullying)



Trauma

- Current trauma/s
 - Historical trauma/s
 - Family trauma/s



Difficulties with

- Learning new things
- Understanding another's view
- Understanding jokes
- Giving relevant information
- Taking turns in conversation
- Following directions
- Finishing tasks



Difficulties with

- **■** Sleep
- Toileting/Dressing
- Changes in routines
- Diet and mealtimes
- Organising self and belongings
- Achieving everyday tasks



Difficulties with

- Calming after being upset
- Making and keeping friends
- Recognising emotions
- Separating from parent
- Sharing/cooperating
- Playing with others (would rather be alone)



One task
One environment

Some tasks
Some environments

Most tasks
Most environments

All tasks All environments





Please contact **Community Access Booking Service (CABS)** on **1300 245 126** for more information regarding referrals. Call 13HEALTH (13 432 584) 24 hours, 7 days to speak to a Child Health Nurse.



Supporting conversations and service engagement for school-aged children with neurodevelopmental concerns


Red Flags School-aged Guide

Children's Health Queensland Hospital and Health Service
Child and Youth Community Health Service

MONITORING of development of children with identified vulnerabilities occurs. Research shows that children who have a history of medical complexity; a history of trauma and/or a parent with mental health concerns are more likely to present with developmental concerns.



ACROSS CONTEXT presentations are considered to determine impact of developmental challenges. It can also help identify developmental strengths that can support a young person's function and participation.



EXPLORATION and identification of other conditions. Developmental difficulties

TRANSITIONS are supported. Starting/ leaving primary or high school, age 9, grade 9 are some key transitions where young people with developmental concerns may require extra support.



School aged children need a TEAM approach. Families, schools, communities and specialist services can work together to ensure:

What is the Red Flags School-aged guide?

The *Red Flags School-aged Guide* is a health resource for professionals (including general practitioners, child health nurses, allied health professionals and educators) to support conversations with families about developmental concerns in school aged children and enable timely and targeted referrals. This guide will:

- Assist with identification of the impact of developmental concerns on a young person's day-to-day functioning.
- Assist with decision making for the most appropriate service to engage, based on the young person's presenting concerns.

The *Red Flags Early Identification Guide* is also available for children under six.

Tips for using this guide

- It is recommended that this resource be used to support a conversation between parents/carers and a professional who understands typical development of a school-aged child.
- Red flag icons indicate an area of concern.
- Question mark icons are used to prompt further conversations.
- A single red flag is not always an indication for concern or referral.
- An orange/red indicator on the severity scale supports a specialist referral.

Definitions

- Trauma: an event or series of events that have long lasting impacts (e.g. abuse, neglect, witness to violence).
- Tasks: activities that you would expect a child of similar age to do as part of a family, school or community (e.g. playing with friends, participating in physical activities, enjoying a meal).

Referring

Every family is different, before referring consider:

- Family readiness for assessment. If not ready, consider GP case management and school liaison
- Family identification of which services will be most helpful now
- Service eligibility (e.g. age, geography)
- If there is a risk to family, self or others consider services to support child's mental health and safety (e.g. Child and Youth Mental Health Service, psychiatrist, Child Safety).

A referral to a **developmental service** and/or general paediatrician may be indicated if:

- History of developmental concerns over time.
- Presentation of developmental concerns **over contexts** (e.g. school and home).
- Severity scale is most/all tasks, most/all environments.

Most tasks Most environments All tasks All environment

A referral to a **behavioural based service** may be recommended if behavioural or emotional concerns are noted (e.g. aggressive, frequent meltdowns) but minimal/no developmental concerns.

If a young person is experiencing difficulties with one/some tasks in one/some environments services including private allied health, university clinics or child health may be indicated.

One task One environmen Some tasks

If a young person is experiencing current trauma (e.g. using illicit substances or being affected by cyber bullying) ensure the young person is safe and supported before a referral to an appropriate service is made.